

STIFERITE SpA a Socio Unico

Viale Navigazione Înterna, 54/5 - 35129 Padova Tel +39 049 8997911 - Fax + 39 049 774727 http://www.stiferite.com - email info@stiferite.com

VOLUNTARY SAFETY DATA SHEET

The product is no a dangerous substance or compound, so it is no regulated by Regulation (CE) 1907/2006. This safety data sheet is only informative.

1. IDENTIFICATION OF THE PRODUCT

STIFERITE BB

Use:

Insulating thermal product

STIFERITE SpA a Socio Unico

Viale della Navigazione Interna n° 54/5 35129 PADOVA Tel. +39 049 8997911 Fax +39 049 774727 Free number +39 800840012

2. HAZARDS IDENTIFICATION

The product is an article.

Referable specific pathologies to the manipulation of this product are not known.

3. COMPOSITION

Rigid polyurethane—polyisocyanurate foam covered on both side with bituminous paper. The bituminous layer is a mixture of distilled bitumen, polyolefin and elastomeric polymers.

It contains flame retardants, binder and blowing agents.

It does not contain cardboard tar and asbestos.

4. FIRST AID MEASURES

Inhalation:

Immediately move the affected person to fresh air. If symptoms persist, get medical attention.

Eve Contact

Immediately flush eyes with plenty of water for at least 15 minutes. Do not rub or scratch eyes. Rubbing or scratching may cause mechanical damage. If irritation persists get medical attention.

Skin Contact:

For skin contact, wash immediately with soap and cold water. Do not wash with warm water because this will open up the pores of the skin, which will cause further penetration of the fibres. Use a washcloth to help remove fibers. To avoid further irritation, do not rub or scratch affected areas. Rubbing or scratching may force fibers into the skin. Remove polluted clothing. If irritation persists, get medical attention.

Ingestion:

Accidental ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that intestinal blockage does not occur. Rinse the mouth with water and drink water to remove fibres from the throat. If irritation persists, get medical attention.

5. FIRE-FIGHTING MEASURES

The product is not inflammable but combustible.

Extinguishing media: water spray, dry chemical, foam or carbon dioxide.

Hazardous product of combustion: compounds of carbon, hydrogen and oxygen, including carbon monoxide and smoke. The exact composition will depend on the conditions of combustion.

6. ACCIDENTAL RELEASE MEASURES

Containment: Pick up large pieces. Use gloves to avoid skin irritation. Avoid dry sweeping. New use compressed air. Clothing should be washed separately.

Disposal: Place material in a container.

For other characteristics see back --

Safaty data sheet Stiferite BB Rev. 5 del 10/01/2018 Author: F. Raggiotto Verified: L. Tolin Authorized: M. Stimamiglio



STIFERITE SpA a Socio Unico

Viale Navigazione Înterna, 54/5 - 35129 Padova Tel +39 049 8997911 - Fax + 39 049 774727 http://www.stiferite.com - email info@stiferite.com

VOLUNTARY SAFETY DATA SHEET

7. HANDLING AND STORAGE

Handling: use single use gloves.

Storage: fuel product; do not store in the presence of open flames or sources of ignition Storage: product combustible; keep away from: heat and flame.

8. EXPOSIRE CONTROLS / PERSONAL PROTECTION

Avoid the powder inhalation produced by electrical cutting or mechanical manufacture. The powder is classified as annoying powder.

9. PHYSICAL AND CHEMICAL PROPERTIES

Rigid polyurethane-polyisocyanurate foam covered on both side bituminous paper.

smell: Not Applicable ph value: Not Applicable

boiling point: bituminous layer >470° C

melting point: PU foam doesn't melt; bituminous layer

>100° C

flash point:

explosion properties

vapour pressure

solubility in water

bituminous layer >100° C

Not Applicable

Not Applicable

insoluble

solubility in water
solubility in organic solvent
solubility in n-octanol/water
calorific power
solubility in n-octanol/water
calorific power
solubility in insoluble
insoluble
Not Applicable
70 MJ/m²

10. STABILITY AND REACTIVITY

Stable at ambient temperatures and pressures.

11. TOXICOLOGICAL INFORMATION

Polyurethane foam is considered inert.

Bituminous layer: The bituminous layer during the installation operations for heating can cause the emission of thermocraking products in the form of gases and vapours which may involve:

eye irritation with possible sensitization (conjunctivitis) skin irritations, with possible sensitizations (dermatitis)

For other characteristics see back →

Safaty data sheet Stiferite BB Rev. 5 del 10/01/2018 Author: F. Raggiotto Verified: L. Tolin Authorized: M. Stimamiglio



STIFERITE SpA a Socio Unico

Viale Navigazione Înterna, 54/5 - 35129 Padova Tel +39 049 8997911 - Fax + 39 049 774727 http://www.stiferite.com - email info@stiferite.com

VOLUNTARY SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION

Not biodegradable

13. DISPOSAL CONSIDERATION

According the local regulations.

14. TRANSPORT INFORMATION

This product is no regulated and classified in a manner that requires special handling or precautions in shipment.

15. REGULATORY INFORMATION

Not regulated by Regulation (CE) 1907/2006 and next promulgations.

16. OTHER INFORMATION

Please consult STIFERITE technical office. Free number 0039 800840012

NOTE:

The information contained in the sheet is provided in the current state of our knowledge, without contractual guarantee value and may be subject to change. The product will have to be stored and used according to hygiene, safety and good industrial practice, according to technical indications of the supplier and in accordance with the provisions of the law.

Safaty data sheet Stiferite BB Rev. 5 del 10/01/2018 Author: F. Raggiotto Verified: L. Tolin Authorized: M. Stimamiglio