

STIFERITE S.r.l.

Viale della Navigazione Interna, 54 - 35129 - Zona Industriale Nord - PADOVA - ITALY

Phone +39 049 8997911

Fax +39 049 774727

Declares:

The initial type testing have been carrying out by

CSTB (Notify body for Directive 89/106/CEE)

IDENTIFICATION NUMBER: 0679

84, Avenue Jean Jaurès

Marne de la Vallée, Cedex 2, F-77421 France

that the thermal insulation boards with rigid polyisocyanurate foam core named

STIFERENE E500

produced in the factory 2F06

are in conformity to the European Standard

UNI EN 13164: 2001

Thermal insulation products for builings - FACTORY MADE OF EXTRUDED POLYSTYRENE FOAM (XPS)

Annex ZA

and therefore in accordance with essential requirements of EC regulation concerning building materials

The technical data properties are:

Declared thermal conductivity λ_d , value determined at 10°C

Reference Normative	Unit	Thickness	Value
EN 12667	W/mK	≤ 60	0,034
EN 12667	W/mK	> 60	0,036

Compression strength

Reference Normative	Unit	Value
EN 826	kPa	500

Long term water absorption

Reference Normative	Unit	Value
EN 12088	%	$\leq 0,7$

Reacting to fireNorma di riferimento
EN 13501-1Euroclasse
E