

STIFERITE S.r.l.

Viale della Navigazione Interna, 54 - 35129 - Zona Industriale Nord - PADOVA - ITALY

Phone +39 049 8997911

Fax +39 049 774727

Declares:

The initial type testing have been carrying out by
ISTITUTO GIORDANO S.p.A. (Notify body for Directive 89/106/CEE)

IDENTIFICATION NUMBER: 0407

Via Rossini, 2
47814 Bellaria - Rimini -Italy

and by:

CSI S.p.A. (Notify body for Directive 89/106/CEE)

IDENTIFICATION NUMBER: 0497

Viale Lombardia, 20
20021 Bollate - Milano - Italy

that the thermal insulation boards with rigid polyisocyanurate foam core named

STIFERITE GT

produced in the factory of Padova, viale Navigazione Interna, 54

are in conformity to the European Standard

UNI EN 13165: 2003

Thermal insulation products for builings - FACTORY MADE RIGID POLYURETHANE FOAM PRODUCTS

Annex ZA

and therefore in accordance with essential requirements of EC regulation concerning building materials

The technical data properties are:

Declared thermal conductivity λ_d , value determined at 10°C
(Identification number n° CPD/0407/1399/07)

Reference Normative	Unit	Value
EN 12667	W/mK	0,0227

Compression strength (Identification number n° CPD/0497/1401/07)

Reference Normative	Unit	Value
EN 826	kPa	130

Water absorption (Identification number n° CPD/0497/1401/07)

Reference Normative	Unit	Value
EN 12087	%	1

Reacting to fire (Registrazione n° CPD/0497/1401/07)

Reference Normative	Euroclass
EN 13501-1	F

Release of dangerous substances (Registrazione n° CPD/0497/1401/07)

Conforming product

Edition	Description	Author	Verified
Rev 0 del 08/05/2007	Declaration of conformity	F. Raggiotto	L. Tolin